



EnOcean Technology



**Advanced
Technological
Leadership
Automation
Solutions**



**Компания «Атлас Групп» - официальный эксклюзивный
дистрибьютор швейцарской фирмы OmniO AG**

Прайс-лист на беспроводные системы Ratio® (Enabled by EnOcean)

**Цены розничные,
Евро, без НДС,
условия DDP Москва**

Atlas Group

105066, Москва, ул. Нижняя Красносельская, дом 40/12, корпус 20А, phone +7 (495) 64-335-65
e-mail: info@atlasgroup.ru, sale@atlasgroup.ru, info@enocean.org, info@omnio.ru
www.atlasgroup.ru, www.enocean.org, www.enocean.org, www.omnio.ru, www.easysens.ru, www.easyfit.ru

Art. Nr.	Type	UG	Description of Article	Unit	Price [Euro]
Wall-transmitter 2 channel with one rocker, suitable to German framework programs with 55m cutout, with Designerframe GIRA Type E2					
1171153	WS-D-101-rw	1	rocker without printing, clean-white	1 pce.	88.26
1171150	WS-D-101-sw	1	rocker without printing, black	1 pce.	89.95
1171200	WS-D-101-sb	1	rocker without printing, silver	1 pce.	89.95
1174153	WS-D-101-L-rw	1	rocker with printing I - O for light, clean-white	1 pce.	89.09
1174150	WS-D-101-L-sw	1	rocker with printing I - O for light, black	1 pce.	89.09
1174200	WS-D-101-L-sb	1	rocker with printing I - O for light, silver	1 pce.	90.72
1175153	WS-D-101-J-rw	1	rocker with printing ▲ - ▼ for shutter, clean-white	1 pce.	89.09
1175150	WS-D-101-J-sw	1	rocker with printing ▲ - ▼ for shutter, black	1 pce.	89.09
1175200	WS-D-101-J-sb	1	rocker with printing ▲ - ▼ for shutter, silver	1 pce.	90.72
1177153	WS-DBJ-2-K-L-rw	1	Busch Jäger, studioweiss I - 0 für Licht	1 pce.	97.45
1177150	WS-DBJ-2-K-L-sw	1	Busch Jäger, anthrazit I - 0 für Licht	1 pce.	97.45
1177200	WS-DBJ-2-K-L-sb	1	Busch Jäger, alu-silber I - 0 für Licht	1 pce.	102.09
1178153	WS-DBJ-2-K-J-rw	1	Busch Jäger, studioweiss ▲ - ▼ für Jalousie	1 pce.	97.45
1178150	WS-DBJ-2-K-J-sw	1	Busch Jäger, anthrazit ▲ - ▼ für Jalousie	1 pce.	97.45
1178200	WS-DBJ-2-K-J-sb	1	Busch Jäger, alu-silber ▲ - ▼ für Jalousie	1 pce.	102.09
Wall-transmitter 4-channel with two rockers, suitable to German framework programs with 55m cutout, with Designerframe GIRA Type E2					
1271153	WS-D-102-rw	1		1 pce.	88.33
1271150	WS-D-102-sw	1	rocker without printing, black	1 pce.	89.95
1271200	WS-D-102-sb	1	rocker without printing, silver	1 pce.	89.95
1273153	WS-D-102-L-rw	1	rocker with printing I - O for light, clean-white	1 pce.	89.09
1273150	WS-D-102-L-sw	1	rocker with printing I - O for light, black	1 pce.	90.72
1273200	WS-D-102-L-sb	1	rocker with printing I - O for light, silver	1 pce.	90.72
1274153	WS-D-102-J-rw	1	rocker with printing ▲ - ▼ for shutter, clean-white	1 pce.	89.09
1274150	WS-D-102-J-sw	1	rocker with printing ▲ - ▼ for shutter, black	1 pce.	90.72
1274200	WS-D-102-J-sb	1	rocker with printing ▲ - ▼ for shutter, silver	1 pce.	90.72
1275153	WS-DBJ-4K-L-rw	1	Busch Jäger, clean-white I - O for light	1 pce.	101.23
1275150	WS-DBJ-4K-L-sw	1	Busch Jäger, black I - O for light	1 pce.	101.23
1275200	WS-DBJ-4K-L-sb	1	Busch Jäger, silver I - O for light	1 pce.	108.19
1276153	WS-DBJ-4K-J-rw	1	Busch Jäger, clean-white ▲ - ▼ for shutter	1 pce.	101.23
1276150	WS-DBJ-4K-J-sw	1	Busch Jäger, black ▲ - ▼ for shutter	1 pce.	101.23
1276200	WS-DBJ-4K-J-sb	1	Busch Jäger, silver ▲ - ▼ for shutter	1 pce.	108.32
Accessories to radio wall transmitter <Ratio®> 2-channel					
1810000	HF-EW-rw	19	rocker without printing, clean-white	1 pce.	1.65
1810001	HF-EW-sw	19	rocker without printing, black	1 pce.	3.29
1810002	HF-EW-sb	19	rocker without printing, silver	1 pce.	3.29
1810043	HF-EW-rw-L	19	rocker with printing I - O for light, clean-white	1 pce.	2.42
1810048	HW-EW-sw-L	19	rocker with printing I - O for light, black	1 pce.	4.06
1810049	HW-EW-sb-L	19	rocker with printing I - O for light, silver	1 pce.	4.06
1810045	HW-EW-rw-J	19	rocker with printing ▲ - ▼ for shutter, clean-white	1 pce.	2.42
1810052	HW-EW-sw-J	19	rocker with printing ▲ - ▼ for shutter, black	1 pce.	4.06
1810053	HW-EW-sb-J	19	rocker with printing ▲ - ▼ for shutter, silver	1 pce.	4.06
Accessories to radio wall transmitter <Ratio®> 4-channel					
1810003	HF-SW-rw	19	rocker without printing, clean-white	1 pce.	3.08
1810004	HF-SW-sw	19	rocker without printing, black	1 pce.	4.71
1810005	HF-SW-sb	19	rocker without printing, silver	1 pce.	4.71
1810044	HF-SW-L-rw-L	19	rocker left with printing I - O for light, clean-white	1 pce.	3.84
1810067	HF-SW-R-rw-L	19	rocker right with printing I - O for light, clean-white	1 pce.	3.84
1810050	HF-SW-L-sw-L	19	rocker left with printing I - O for light, black	1 pce.	5.48
1810080	HF-SW-R-sw-L	19	rocker right with printing I - O for light, black	1 pce.	5.48

Atlas Group

105066, Москва, ул. Нижняя Красносельская, дом 40/12, корпус 20А, phone +7 (495) 64-335-65

 e-mail: info@atlasgroup.ru, sale@atlasgroup.ru, info@enocean.org, info@omnio.ru
www.atlasgroup.ru, www.enocean.org, www.enocean.org, www.omnio.ru, www.easysens.ru, www.easyfit.ru



1810051	HF-SW-L-sb-L	19	rocker left with printing I - O for light, silver	1 pce.	5.48
1810081	HF-SW-R-sb-L	19	rocker right with printing I - O for light, silver	1 pce.	5.48
1810046	HF-SW-rw-J	19	rocker with printing ▲ - ▼ for shutter, clean-white	1 pce.	5.48
1810054	HF-SW-sw-J	19	rocker with printing ▲ - ▼ for shutter, black	1 pce.	5.48
1810055	HF-SW-sb-J	19	rocker with printing ▲ - ▼ for shutter, silver	1 pce.	5.48

Art. Nr.	Type	UG	Description of Article	Unit	Price [Euro]
Remote-transmitter 4-channel with 4 single keys					
1281153	R101-rw	1	Remote-transmitter 4-channel with 4 single keys, clean-white	1 pce.	82.58
1281150	R101-sw	1	Remote-transmitter 4-channel with 4 single keys, black	1 pce.	82.58
1281200	R101-sb	1	Remote-transmitter 4-channel with 4 single keys, silver	1 pce.	85.16
Window-Contact					
2101153	FK101-rw	3	Window-Contact, 1-channel with solar-generator, clean-white	1 pce.	86.52
Outside temperature sensor					
2102153	ATF101	3	Outside temperature sensor -20 °C - +60 °C	1 pce.	128.39
Room temperature sensors					
2103153	RTF101	2	Measurement of the ambient temperature without control elements	1 pce.	109.03
2104153	RTF102	2	Measurement of the ambient temperature with set point setter	1 pce.	112.26
2105153	RTF103	2	Measurement of the ambient temp with set point setter and mode swit	1 pce.	129.68

Outside Light Sensor					
2120000	LS101	2	Outside Light Sensor, with 2 ranges from 300-60'000 lux	1 pce.	149.35
Motion Detector with integrated brightness feeler					
2901000	AP230/01	4	Supply voltage 230VAC or 24VDC	1 pce.	179.03
Push-button interface 2 channel for two pot.free contacts					
1501000	TST230/01	4	Push-button interface supply voltage 230 VAC	1 pce.	167.10
1502000	TST24/01	4	Push-button interface supply voltage 24 VDC	1 pce.	173.55
Flush mounted switch actuator 1-channel					
3101000	UPS230/01	5	Supply voltage 230 VAC	1 pce.	89.03
3102000	UPS24/01	5	Supply voltage 24 VDC	1 pce.	95.48
Flush mounted switch actuator 2-channel					
3103000	UPS230/02	5	Supply voltage 230 VAC	1 pce.	92.26
3104000	UPS24/02	5	Supply voltage 24 VDC	1 pce.	98.71
Flush mounted load switch actuator 1-channel					
3105000	UPS230/03	5	Supply voltage 230 VAC	1 pce.	90.32
3106000	UPS24/03	5	Supply voltage 24 VDC	1 pce.	96.77
Thermostat switch actuator 1-channel					
3121000	UPT230/01	5	Supply voltage 230 VAC	1 pce.	104.19
3122000	UPT24/01	5	Supply voltage 24 VDC	1 pce.	110.65
Flush mounted dimming actuator 1-channel					
3201000	UPD230/01	5	Dimming actuator 250W phase section, supply voltage 230 VAC	1 pce.	92.26

Flush mounted blinds actuator 1-channel					
3301000	UPJ230/01	5	Supply voltage 230 VAC	1 pce.	94.74
3302000	UPJ24/01	5	Supply voltage 24 VDC	1 pce.	101.19
Switch actuator 4-fold 4R/16A					
4102000	REGS24/01	7	Switch actuator, with 4 change-over contacts, 13A, supply voltage 24	1 pce.	198.48
Switch actuator 8-fold 8R/6A					

Atlas Group



4104000	REGS24/02	7	Switch actuator, with 8 Closing contacts, 6A, supply voltage 24 VDC	1 pce.	230.52
			Blinds actuator 4-fold 8R/6A		
4302000	REGJ24/01	7	Blinds actuator with 4 x 2 Closing contacts, 6A, supply voltage 24 VDC	1 pce.	230.52

External receiver unit

4900000	UPASB/01	7	Receiver unit for the row installed equipment	1 pce.	118.00
			Power Supply 230VAC/12VDC 1TE		
4100000	REGS230/00	19	Power Pack 230VAC/12VDC 1TE for the row installed equipment	1 pce.	58.06

Art. Nr.	Type	UG	Description of Article	Unit	Price [Euro]
1-Level Repeater					
9003000	UPR230/02	9	Supply voltage 230 VAC	1 pce.	167.10
9005000	UPR230/05	9	Supply voltage 24 VDC	1 pce.	173.55

2-Level Repeater

9004000	UPR230/03	9	Supply voltage 230 VAC	1 pce.	192.90
9006000	UPR230/06	9	Supply voltage 24 VDC	1 pce.	199.35
			System Coupler EIB unidirectional 32-channel		
6005000	APG01-EIB	10	Gateway 32-channel	1 pce.	407.74
			System Coupler EIB unidirectional 8-channel		
6000000	REGG01	10	Gateway 8-channel	1 pce.	319.35
			System Coupler RS485 unidirectional		
6010000	APG03U-RS485	10	System Coupler unidirectional with serial interface RS 485	1 pce.	201.29
			System Coupler RS485 bidirectional		
6011000	APG03B-RS485	11	System Coupler bidirectional with serial interface RS 485	1 pce.	229.03
			System Coupler RS232 unidirectional		
6042001	APG03U-RS232	10	System Coupler RS232 unidirectional	1 pce.	201.29
			System Coupler RS 232 bidirectional		
6042000	APG03B-RS232	11	System Coupler RS232 bidirectional	1 pce.	229.03

Atlas Group